





$P(\pi/2) = (0,1)$


Para $P(\pi) = (-1,0)$



$\text{Sen } 0 = 0$
 $\text{Cos } 0 = 1$




$\text{Sen } \pi/2 = 1$
 $\text{Cos } \pi/2 = 0$




$\text{Sen } \pi = 0$
 $\text{Cos } \pi = -1$

Para $P(3\pi/2) = (0,-1)$


Para $P(2\pi) = (1,0)$




$\text{Sen } 3\pi/2 = -1$
 $\text{Cos } 3\pi/2 = 0$




$\text{Sen } 2\pi = 0$
 $\text{Cos } 2\pi = 1$




$$\text{Sen } \pi/4 = \frac{\sqrt{2}}{2} \quad \text{Cos } \pi/4 = \frac{\sqrt{2}}{2}$$



$$\text{Sen } 3\pi/4 = \frac{\sqrt{2}}{2} \quad \text{Cos } 3\pi/4 = -\frac{\sqrt{2}}{2}$$




$$\text{Sen } 5\pi/4 = -\frac{\sqrt{2}}{2} \quad \text{Cos } 5\pi/4 = -\frac{\sqrt{2}}{2}$$




$$\text{Sen } 7\pi/4 = -\frac{\sqrt{2}}{2} \quad \text{Cos } 7\pi/4 = \frac{\sqrt{2}}{2}$$



Para $P(2\pi/3) = \left(\frac{-1}{2}, \frac{\sqrt{3}}{2} \right)$




$\text{Sen } 2\pi/3 = \frac{\sqrt{3}}{2}$ $\text{Cos } 2\pi/3 = \frac{-1}{2}$




$\text{Sen } \pi/3 = \frac{\sqrt{3}}{2}$ $\text{Cos } \pi/3 = \frac{1}{2}$

Para $P(5\pi/3) = \left(\frac{1}{2}, \frac{-\sqrt{3}}{2} \right)$




$\text{Sen } 5\pi/3 = \frac{-\sqrt{3}}{2}$ $\text{Cos } 5\pi/3 = \frac{1}{2}$


Para $P(4\pi/3) = \left(\frac{-1}{2}, \frac{-\sqrt{3}}{2} \right)$




$\text{Sen } 4\pi/3 = \frac{-\sqrt{3}}{2}$ $\text{Cos } 4\pi/3 = \frac{-1}{2}$




$$\text{Sen } \pi/6 = \frac{1}{2} \quad \text{Cos } \pi/6 = \frac{\sqrt{3}}{2}$$



$$\text{Sen } 5\pi/6 = \frac{1}{2} \quad \text{Cos } 5\pi/6 = -\frac{\sqrt{3}}{2}$$



$$\text{Sen } 7\pi/6 = -\frac{1}{2} \quad \text{Cos } 7\pi/6 = -\frac{\sqrt{3}}{2}$$



$$\text{Sen } 11\pi/6 = -\frac{1}{2} \quad \text{Cos } 11\pi/6 = \frac{\sqrt{3}}{2}$$